

SATAREM
300 FEET JACK UP RIGS



Main Dimensions

Length overall:	89.3m
Breadth overall:	64.62m
Depth of hull:	7.9m
Overall length of leg:	127m/417ft
Max operating water depth:	91.4m/300ft
Max drilling depth:	7000m (4-1/2" DP)
Rotary maximum position Aft of transom:	18.3m
Drill floor travel of Substructure P/S off C/L:	5.5m
Length of cantilever beam:	32.4m
Width of cantilever beam:	18.6m
Max cantilever combined load:	793.8M.tons
Hook Load:	512 M.tons
Heli-deck diameter:	22.25m
Living quarters:	108person

Drilling Equipment

Draw works:	1320-UE, input 1550KW
Derrick:	660g, hook load 490 M.tons
Traveling block:	NATIONAL 804g
Crown block:	760FA, 6 x 7, 5713.4KN
Rotary table:	ZP375, 37-1/2"
Top driver:	Varcotds-3s

BOP Equipment

BOP stack:	13-5/8" 10000psi
BOP control system:	REGANKFL, 11gal 5000psi

Power Equipment

Main generators:	EMD16-645-E9, 2000KW x6
Emergency generators:	EMD16-645-E9, 2000KW x 1

Deck Crane

Crane type:	NATIONALOS-105
Main block:	37t-18m, 24m/minmax load
Auxiliary block:	8t-39m, 40m/min (max load)

Storage Capacities

Fuel oil:	861.5m ³
Drilling water:	915m ³
Portable water:	513m ³
Preload water:	1418.4m ³
Cement pool:	393.2m ³
Bulk barite and cement tank:	11.65m ³
Sack storage:	3400 sacks

Maximum Gross Variable Load


Afloat condition:	2356 M.tons
Normal elevating:	2356 M.tons
Drilling condition:	3403M.tons
Elevating storm condition:	2722 M.tons

Jacking System and Rack chock System

Make/Type:	NOV-BLM D60H
Normal jacking capacity:	200 M.t/pinion
Max preload jacking capacity:	258 M.t/pinion
Static holding without damage:	318 M.t/pinion
Jacking speed:	0.46m/min
Rack chocks:	JY-S3800

Accommodation

Company representative's office:	1
Contractor representative's office:	1
Control room:	1
Single rooms:	2
Double rooms:	5
Four-persons rooms:	22
Galley:	1
dining room:	1
Recreation room:	1
Hospital/No of beds:	1
Meeting room:	2
Radio room:	1
Changing room:	1



FRANCE

75,Boulevard Haussmann 75008
Paris France
Tel : +33 1 7972 7171
Fax : +33 1 5301 3454

HONG KONG OFFICE

Unit 1210, Level 12, Landmark North,
39 Lung Sum Avenue, Sheung Shui, N.T., H.K.
Tel : +852 266 818 61
Fax : +852 319 947 55

GUANGZHOU OFFICE

Room 1810-1811 Baiyun Building
No.111 Baiyun Road, Guangzhou
Tel : +86 20 62728715
Fax : +86 20 83292148

SHANGHAI OFFICE

Rm 1601, No.450 CaoYang Rd, Shanghai
Tel : +86 21 5236 0230
Fax : +86 21 5236 0231